

Southerly 42RST











Make	Model	Length	Price	Year	Condition
Southerly	42RST	42 ft 2 in	GBP 330,000	2012	Used
Boat Name	Hull Material	_	Draft Nur	mber of Engines	Fuel Type

Boat Name Hull Material Draft Number of Engines Fuel Type

TIGGER III Fibreglass (GRP) 8 ft 11 in 1 Diesel

The Southerly 42RST combines a fast, modern hull for good performance, with the stability and comfort for blue water cruising. The modern plumb stem increases waterline length and a broad transom maintains volume aft, for performance and interior space. Deck styling and a sociable cockpit layout with twin helm positions, has created one of the most comfortable and easy to sail cruising yachts available.



Measurements

LOA: 42 ft 2 in LWL: 36 ft 5 in Beam: 13 ft 3 in Min. Draft: 2 ft 9 in Max Draft: 8 ft 11 in Dry Weight: 24802 lb Ballast: 4630 lb

Displacement: 24802 lb Fuel Tanks Cap.: 300 L Fuel Tanks Material: Plastic Fresh Water Tanks Cap.: 478 L Fresh Water Tanks Material: Plastic

Holding Tank Cap.: 140 L Holding Tanks Material: Plastic

Number of Cabins: 3 Number of Heads: 2

Propulsion

Engine #1

Engine Make: Yanmar Engine Model: 4JH4-E Primary Engines: Inboard Drive Type: Stern Drive Engine Year: 2011 Hours: unknown

Hours: unknown Power: 54 hp

Propeller Type: 3 Blade Propeller Material: Bronze

Manufacturer Provided Description

The Southerly 42RST combines a fast, modern hull for good performance, with the stability and comfort for blue water cruising. The modern plumb stem increases waterline length and a broad transom maintains volume aft, for performance and interior space. Deck styling and a sociable



cockpit layout with twin helm positions, has created one of the most comfortable and easy to sail blue water cruising yachts, available.

The Southerly 42RST also boasts an impressive sail plan, for powerful windward performance. The tall fractional rig with swept back double spreaders, combines a self tacking furling jib (for easy sailing) and large mainsail.

The Southerly 42RST features the highly developed Swing Keel which gives the freedom and versatility to sail in almost any waters. With the keel lowered, the deep draft makes for fast, serious blue water cruising. At the 'touch of a button' the keel can be raised to give a shallow draft - perfect for exploring coastlines and inland waterways.

The cockpit is a particular feature, with comfortable seating. The teak cockpit table offers dinette facilities, whilst also providing leg bracing and a convenient hand rail, when the yacht is heeled. The mainsheet track is located on the coachroof with lines fed back to both helmsman's stations, allowing the yacht to be easily managed.

Once you step inside, you enter a light and airy interior. The large raised saloon seating area provides a focal point for owners and guests, permitting comfortable dining whilst at anchor or moored, and taking full advantage of the all-round views.

Designed by Rob Humphreys, Stephen Jones & Northshore Design Office.

Construction

Hull and deck are heavy duty GRP mouldings, hand laid with Ivory White gel coat Oxford Blue boottop and style lines Clear gel coat below the waterline

VARIABLE DRAFT KEEL

The fixed ballast is an iron casting which acts as a grounding plate and as transverse stiffening for the keel unit. It is fitted into a recess in the hull, in the area of the keel box, with stainless steel fastenings. The aerofoil shaped keel is cast iron and incorporates a stainless steel pivot at the leading edge. The keel is raised and lowered by a hydraulic ram powered by an electrically driven pump with hand operated back up. The keel control and gauge showing keel position fitted at wheel position. A removable stainless steel pin, can be positioned to enable the keel to be locked in the "up" position.

INTERNAL JOINERY AND UPHOLSTERY



Internal joinery is finished in solid Maple and marine quality daced plywood. Linings are fabric cover plywood or GRP as appropriate. Cabin soles are teak striped non-slip laminate.

Curtains in Camino 2 are fitted to all hull portlights. Concertina blinds are fitted to coachroof windows in main saloon Main upholstery is in Jab Forentine For 82

Engine

Yanmar 4JH4-E 54 hp 4 cylinder, fresh water cooled, diesel engine Reduction/reverse gear 60 amp alternator

Dranza stara tuba wi

Bronze stern tube with water lubricated stern gland

Stainless steel propeller shaft

Bronze three bladed Max Prop folding propeller

Aquadrive fitted to reduce vibration

Substantial skeg fitted on centreline to protect propeller and rudders when yacht is dried out Non metallic fuel tank - capacity 300 litres/68 gallons with sediment trap and line filter

12 volt electric ventilator

Sound deadening to engine box

Hinge up panels at either end of engine box for access

Engine box can be completely removed for maintenance

Engineering

Mastervolt Mass Combi 12/2000 - 100A inverter/battery charge

Advert alternator regulator (boost)

Hot air heating with outlets to saloon and each cabin and both heads, shower compartments, with programmable hot air controller

Holding tank

Bowthruster 82Kg

Max Prop, three feathering blades

Extractor fan fitted in heads

MLS fuel purifier in front of fuel filters

Electrics

12 volt system

4 lead acid batteries, 1 for engine, 3 for domestic



Mastervolt 12/50amp battery charger

Mastvolt Mass Combi 12/2500W-100A inverter charger

Isolating switches

Cabin lighting throughout

Reading lights over bunks

Chart light over navigation table

Full navigation light system incorporating bow lights, stern light, deck flood light and steaming light. Tri-white light fitted to masthead.

Circuit breakers on main panel

240V ring main including 4 double UK outlet sockets, earth leakage circuit breaker and connection cable (with plug for shore power 16A) and 1kW immersion heater fitted in calorifier.

12V interior socket fitted at navigation station

Navigation and Electronic Equipment

Raymarine ST60+ wind/speed/depth instruments fitted above companionway

Raymarine autopilot with Mamba drive. ST6002+ Controls at helm and chart table

RAY55E VHF Radio with DSC runction including aerial and flushmount

RayMic 2nd station hand mike for VHF in cockpit

Comar AIS receiver and transponder

Raymarine C90W multi function display fitted centrally aft end of cockpit table

Raymarine C90W multifunction display at chart table

Raymarine 18" Raydome scanner fitted to mast

Raystar 125 satellite differential GPS aerial fitted to coachroof

Radio/CD/MP3 stereo system with 2 speakers in Saloon

2 waterproof speaks for stereo system in cockpit

TV aerial fitted at mast

Binnacle compasses fitted to both helm positions

Accomodation

3 Cabin layout

RAISED SALOON

Raised seating for eight people to port

Saloon seating conversion to double berth with infill cushion

Excellent vision

Folding leaf table

Bookshelf



Two opening hatches Overhead lights

GALLEY

Twin stainless steel sinks

Corian type worktop, Pebble Confetti

Pressurised hot and cold water

Stainless steel grab rail

Front loading stainless steel refrigerator 130L with keel cooler

Top Loader freezer 51L

Fully gimballed gas cooker with three burners, grill and oven (fail-safe devices on all burners)

Gas cut off tap

Ample storage for crockery and cutlery

Cupboards

Opening hatch

NAVIGATION AREA

Raised chart table to starboard, excellent visibility

Navigator's seat in Ocean blue

Instrument console forward of chart table

Chart stowage

Locker spaces

Opening hatch over

Chart light

Main switch panel

MASTER AFT CABIN

Large double centreline berth, 7" sprung mattress

Seating both side in Jab Forentine For 82

Large hanging locker

Large shelved locker

Shelf

Two fixed portlights

Three opening ports

Opening hatch

Door to ensuite facilities

ENSUITE



Jabsco manual marine toilet with holding tank Washbasin with Corian type surround in Aspen Glacier Hot and cold pressurised water

Shower

Grating to shower tray

Electric shower pump

Extractor fan

Opening portlight

Lockers

Mirror

Glass holder

FORWARD CABIN

V berth, two single berths, infill to convert to a double

Shelved locker

Hanging locker

Shelves

Two Fixed portlights

Opening hatch

THIRD CABIN

2 single bunk berths

Hanging locker storage

fixed portlight

FORWARD HEADS

Jabsco marine toilet with holding tank

Washbasin with Corian type surround

Hot and cold pressurised water

Shower

Electric shower pump

Shower grating

Lockers

Mirror

Glass holder

Fixed portlight

Opening hatch



Rigging Equipment

Selden in mast furling (linear drive)
Double swept back spreaders
Self tacking foresail
Furlex headsail reefing system
Backstay with manual tensioner
Furling gear for Gennaker
Stainless steel removable bowsprit
Strong gas lift insert for kicker system

Sails

North fully vertically battened Dacron mainsail North self tacking jib North furling asymmetric GI gennaker with furling gear

Deck Fittings and Loose Gear

Teak laid ring deck

Cleats forward and aft

Spring cleats amidships with stainless steel chafe guard

Stainless steel stemhead fitting with twin bow roller

GRP foredeck anchor locker with re-inforced shelf to take anchor windlass

Quick Hector Windlass and remote control, with additional control at helm

Stainless steel pulpit incorporating navigation light bracket

Stainless steel stanchions and guardwires with midship gates port and starboard

Stainless steel pushpit incorporating stern gate, navigation light bracket and ensign socket

Fuel and water deck fillers

Self tacking foresail track with sheet to cockpit

Turning blocks to take reefing lines

Mainsheet track with control lines

Rope clutches to port and starboard, for running rigging

Lewmar 46AEST electric winch, for halyard.

Stainless steel grab handles on either side of coachroof with integral mainsheet lead

Sheets block and attachments for gennaker

Deck shower, hot and cold fitted to transom



20kg Delta anchor, spare anchor in starboard aft locker 20Kgs

30 metres of chain

30 metres of warp

9 Fenders

Three fire extinguishers

One fire blanket

Dinghy and outboard, Excel SD260 inflatable dinghy and Honda 4 stroke 2.3HP outboard

3 Part winter boat cover in navy

3 Grab bars at Port and Starboard helm positions, and adjacent to Nav Pod at aft end of cockpit table

25 Metre mains extension cable for shore power supply, and addition to standard shore power lead

Dan Buoy

3 boat hooks

Plastimo side boarding ladder

6 mooring lines

Cockpit

Aft cockpit

Self draining

Laid teak to cockpit seats

Laid teak to cockpit sole

Cockpit table with folding leaves, stowage and handrail

Good access aft for boarding through transom door

Telescopic stern boarding ladder

Large cockpit locker to port and starboard

Gas bottle storage in cockpit locker to starboardwith 3 camping gaz bottles x 2.75Kg

Liferaft / fender stowage in cockpit locker to port

Perspex main hatch with washboard

Instrument panels above hatchway

Two winch handle pockets

Two safety harness eyes

Sprayhood in Marine Blue, with hide covered grab bar

Wheel rims hide covered

Wheel and pedestal covers in Marine Blue

Disclaimer



The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.





Southerly 42RST - Tigger III



Southerly 42RST - Tigger III



Southerly 42RST - Tigger III



Southerly 42RST - Tigger III





Southerly 42RST - Tigger III





Southerly 42RST - Tigger III



Southerly 42RST - Tigger III



Southerly 42RST - Tigger III



Southerly 42RST - Tigger III



Southerly 42RST - Tigger III



Southerly 42RST - Tigger III





Southerly 42RST - Tigger III



Southerly 42RST - Tigger III



Southerly 42RST - Tigger III



Southerly 42RST - Tigger III



Southerly 42RST - Tigger III



Southerly 42RST - Tigger III





Southerly 42RST - Tigger III



Southerly 42RST - Tigger III



Southerly 42RST - Tigger III



Southerly 42RST - Tigger III



Southerly 42RST - Tigger III